

## PUSH WIRE® connector for junction boxes; 3-conductor terminal block; transparent housing; red cover

Item No.: 773-173



PUSH WIRE® connector for junction boxes; 3-conductor terminal block; transparent housing; red cover

### Marking

RoHS ✓  
Compliant

### Business data

Supplier	WAGO
Item no.	773-173
GTIN / EAN	4050821215141
Content	1
Order amount	50
Customer item number	

### Notes


### Technical data


#### Miscellaneous

Total number of connection points	3
Total number of potentials	1
Color	transparent
Rated voltage (II / 2) [V]	400 [V]
Rated surge voltage (II / 2) [kV]	4 [kV]
Nominal current [A]	41 [A]
Connection technology	PUSH WIRE®
Number of connection points	3
Actuation type	Push-in

Technical data	
Connectable conductor materials	Kupfer
Solid sizes	2.5 ... 6 mm <sup>2</sup> / 14 ... 10 AWG
stranded, connectable	2.5 ... 6 mm <sup>2</sup> / 14 ... 10 AWG
Strip length	12 ... 13 mm / 0.47 ... 0.51 in
Type of wiring	Side-entry wiring
Fire load [MJ]	0.115 [MJ]
Weight [g]	5.752 [g]
Width	25.6 mm / 1.008 in
Height	14.2 mm / 0.559 in
Length	20.1 mm / 0.791 in
Safety information 1	In grounded power lines

#### Images & drawings





#### Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.