

PUSH WIRE® connectors for junction boxes for solid conductor up to 4 mm²; 6-conductor terminal block; brown-transparent housing; brown cover

Item No.: 773-606



PUSH WIRE® connectors for junction boxes for solid conductor up to 4 mm²; 6-conductor terminal block; brown-transparent housing; brown cover

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	773-606
GTIN / EAN	4055143088671
Content	1
Order amount	50
Customer item number	

Notes

Technical data


Miscellaneous

Total number of connection points	4
Total number of potentials	1
Rated voltage (II / 2) [V]	400 [V]
Rated surge voltage (II / 2) [kV]	4 [kV]
Nominal current [A]	32 [A]
Connection technology	PUSH WIRE®
Number of connection points	4
Actuation type	Push-in

Technical data	
<i>Connectable conductor materials</i>	<i>Kupfer</i>
<i>Solid sizes</i>	<i>1.5 ... 4 mm²</i>
<i>Strip length</i>	<i>12 mm / 0.47 in</i>
<i>Type of wiring</i>	<i>Side-entry wiring</i>
<i>Fire load [MJ]</i>	<i>0.076 [MJ]</i>
<i>Weight [g]</i>	<i>3.53 [g]</i>
<i>Width</i>	<i>9.2 mm / 0.362 in</i>
<i>Height</i>	<i>13.1 mm / 0.516 in</i>
<i>Length</i>	<i>19.5 mm / 0.768 in</i>

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.